
Digital B&W Multi Function Printer RICOH MP 2554 MP 3054 MP 3554 SERIES





Expand your business with customized convenience

Who says staying ahead of the competition is difficult? It's easy when you can give your customers the information they need — in multiple formats and multiple ways — quickly and securely. Perform everyday office tasks, including advanced printing, scanning, copying and faxing, from the versatile RICOH MP 2554/MP 3054/ MP 3554 series. Are projects piling up? Save time with preset shortcuts to frequently used document tasks. You use your smartphone every day. Why not use it to print documents from wherever you are? Worried about security? Set up user authentication so only authorized users can see and print jobs. You can even monitor user activity and energy consumption remotely, and make strategic changes to simplify work and reduce costs even more.

- Produce up to 35 pages per minute
- Connect from anywhere using location-free mobile printing
- Simplify workflow and perform more tasks without increasing footprint size
- Complete more types of jobs with flexible media handling
- Minimize operating costs with energy-saving efficiency



Move from job to job effortlessly

Fully featured with advanced tools to make your workday easier

Smooth transition between jobs

You can easily transition between jobs with the RICOH MP 2554/MP 3054/MP 3554 series. Recovery time from sleep mode is less than 5 seconds, so you don't have to stand around waiting when you need to send documents quickly. Print up to 35 monochrome pages per minute on a wide range of media and handle almost any job. You can also scan up to 80 colour or monochrome images per minute with minimal manual intervention using the standard 100-sheet Automatic Reversing Document Feeder (ARDF).

Intuitive and easy navigation

With the RICOH MP 2554/MP 3054/MP 3554 series, you can print, copy, scan and fax documents and move on to your next project just as quickly. Intuitive drag-and-drop, pinchand-flick and swipe scrolling simplify routine actions and minimize extraneous choices. It's available via the optional 10.1" Wide Super VGA RICOH Smart Operation Panel. It simplifies the choices for the most frequently used functions for Copy, Scanner, Print and Fax.





High efficiency

Perform daily tasks more efficiently with the intuitive, simple-to-use interface. Spending too much time searching for paper and re-loading trays? Add optional paper trays to increase paper capacity up to 4,700 sheets for longer, uninterrupted runs. You can even print on thicker media up to 300 gsm². Plus, you can choose from several automated finishers, including a space-saving internal finisher or an environmentally friendly stapleless finisher, to make almost any presentation look polished.

Cost and energy saving

The RICOH MP 2554/MP 3054/MP 3554 series offers low cost-per-page and Total Electricity Consumption (TEC) values to help support your budgetary needs and sustainability goals. The device can be programmed to power on or off during specified times to conserve energy for even greater savings.







RICOH MP 2554SP/ MP 3054/ MP 3054SP/ MP 3554/ MP 3554SP

MAIN SPECIFICATIONS

Warm-up time:	Basic: 11.0 seconds/ SP: 14.0 seconds		
First output speed:	4.6/4.6/4.3 seconds		
Continuous output speed:	25/30/35 pages per minute		
Memory:	2GB (Maximum)		
HDD:	320GB (Basic: Optional)		
Dimensions (W x D x H):	587 x 680 x 788 mm (without ARDF)		
Weight:	60 kg		
Power source:	220 - 240 V, 50/60 Hz		
COPIER			
Copying process:	Laser beam scanning & electro photographic printing		
Multiple copying:	Up to 999 copies		
Resolution:	600 dpi		
Zoom:	From 25% to 400% in 1% step		
PRINTER (OPTION: MP 3054	/ MP 3554)		
Printer language:	Standard: PCL5e, PCL6, Adobe® PDF Direct		
	Option: Adobe® PostScript® 3™, IPDS, XPS		
Print resolution:	600 x 600 dpi, 1,200 x 1,200 dpi (Maximum)		
Interface:	Standard:	USB 2.0 Type A, USB 2.0 Type B, SD slot, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T	
	Option:	Bi-directional IEEE 1284/ECP, *Wireless LAN (IEEE 802.11a/b/g/n), *Bluetooth, *Additional NIC (2nd port)	
Network protocol:	TCP/IP (IP v4, IP v6), IPX/SPX (Option)		
Windows [®] environments:	Windows° XP, Windows° Vista, Windows°7, Windows° 8, Windows° Server 2003, Windows° Server 2008, Windows° Server 2008R2, Windows° Server 2012		
Mac OS environments:	Macintosh OS X v10.56 or later		
UNIX environments:	UNIX Sun [®] Solaris: 2.9, 2.10		
	HP-UX: 11.x, 11i v2, 11i v3		
	SCO OpenServer: 5.0.7, 6.0		
	RedHat® Linux Enterprise: v4, v5, v6		
	IBM® AIX: v5L, v5.3, v6.1, v7.1		
Novell [®] Netware [®]			

environments: v6.5 SAP® R/3® environments: SAP® R/3®

*Not available for Taiwan model

SCANNER (OPTION: MP 3054/ MP 3554)

Scanning speed:	ARDF: Max. 80 originals per minute	
Resolution:	600 dpi, 1200 dpi (TWAIN)	
File Format:	TIFF, JPEG, PDF, Encryption PDF,	
	High Compression PDF, PDF-A	
Bundled drivers:	Network TWAIN	
Scan to:	E-mail, Folder, USB/SD, URL NCP (Optional)	

FAX (OPTION) PSTN, PBX Circuit: Compatibility: ITU-T (CCITT) G3 8 x 3.85 line/mm, 200 x 100 dpi Resolution: 8 x 7.7 line/mm, 200 x 200 dpi 8 x 15.4 line/mm, 16x 15.4 line/mm 400 x 400 dpi (Optional) Transmission speed: G3: Approx. 3 second(s) (200 x 100 dpi, JBIG) Approx. 2 second(s) (200 x 100 dpi) Maximum: 33.6 Kbps Modem speed: Memory capacity: Standard: 4 MB Maximum: 60 MB PAPER HANDLING Recommended paper size: A3, A4, A5, A6, B4, B5, B6 Paper input capacity: Standard: 1,150 sheets Maximum: 4,700 sheets Paper output capacity: Standard: 500 sheets Maximum: 1,625 sheets Standard paper tray(s): 60 - 300 g/m² Paper weight: 52 - 300 g/m² Bypass tray: 52 - 256 a/m² Duplex unit: ECOLOGY Power consumption: Maximum: 1,600 W Ready mode: 54.6 W Sleep mode: 0.46 W (Basic)/ 0.49 W (SP) TEC (Typical Electricity Consumption): MP 3054/MP 3554: 1.363/1.617 W/h MP 2554SP/MP 3054SP/MP 3554SP: 858/1,092/1,321 W/h SOFTWARE (OPTION)

GlobalScan NX, Device Manager NX, Enhanced Locked Printed NX, Streamline NX, Card Authentication Package, Unicode Font Package for SAP

OPTIONS

ADF handle, ARDF, Platen cover, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, Tandem LCIT, Caster table, LCIT, One-bin tray, Internal finisher, 1,000-sheets finisher, 1,000-sheets booklet finisher, Internal staple-free stapler finisher, Shift tray, Side Tray, Bridge unit, Punch kits for finisher, Printer/Scanner option, Smart operation panel, Hard disk drive, Netware, Browser unit, File format converter, Unicode font package, Adobe* PostScript* 3^{°°} option, IPDS, XPS print option, Copy data security unit, Wireless LAN (IEEE 802.11a/b/g/n), IEEE 1284, Bluetooth, Additional NIC (2 port), Counter interface, Key counter bracket, Smart card reader, Card reader bracket, External keyboard bracket, OCR unit, Fax option, G3 interface unit, Fax connection unit, Fax memory, Fax marker

For availability of models, options and software, please consult your local Ricoh supplier.



www.ricoh-ap.com

RICOH ASIA PACIFIC PTE LTD

103 Penang Road #08-01/07, VISIONCREST Commercial, Singapore 238467 Phone: +65 6830 5888, Fax: +65 6830 5830

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2014 Ricoh Asia Pacific Pte Ltd. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Asia Pacific Pte Ltd.

E Contraction Cont

MP20140909-04